

## § 68.125

(5) Rationale supporting the petitioner's position; that is, how the substance meets the criteria for addition and deletion. A short summary of the rationale must be submitted along with a more detailed narrative; and

(6) Supporting data; that is, the petition must include sufficient information to scientifically support the request to modify the list. Such information shall include:

(i) A list of all support documents;

(ii) Documentation of literature searches conducted, including, but not limited to, identification of the database(s) searched, the search strategy, dates covered, and printed results;

(iii) Effects data (animal, human, and environmental test data) indicating the potential for death, injury, or serious adverse human and environmental impacts from acute exposure following an accidental release; printed copies of the data sources, in English, should be provided; and

(iv) Exposure data or previous accident history data, indicating the potential for serious adverse human health or environmental effects from an accidental release. These data may include, but are not limited to, physical and chemical properties of the substance, such as vapor pressure; modeling results, including data and assumptions used and model documentation; and historical accident data, citing data sources.

(h) Within 18 months of receipt of a petition, the Administrator shall publish in the FEDERAL REGISTER a notice either denying the petition or granting the petition and proposing a listing.

## § 68.125 Exemptions.

*Agricultural nutrients.* Ammonia used as an agricultural nutrient, when held by farmers, is exempt from all provisions of this part.

## § 68.126 Exclusion.

*Flammable Substances Used as Fuel or Held for Sale as Fuel at Retail Facilities.* A flammable substance listed in Tables 3 and 4 of § 68.130 is nevertheless excluded from all provisions of this part when the substance is used as a fuel or held for sale as a fuel at a retail facility.

[65 FR 13250, Mar. 13, 2000]

## 40 CFR Ch. I (7–1–04 Edition)

## § 68.130 List of substances.

(a) Regulated toxic and flammable substances under section 112(r) of the Clean Air Act are the substances listed in Tables 1, 2, 3, and 4. Threshold quantities for listed toxic and flammable substances are specified in the tables.

(b) The basis for placing toxic and flammable substances on the list of regulated substances are explained in the notes to the list.

TABLE 1 TO § 68.130—LIST OF REGULATED TOXIC SUBSTANCES AND THRESHOLD QUANTITIES FOR ACCIDENTAL RELEASE PREVENTION  
[Alphabetical Order—77 Substances]

Chemical name	CAS No.	Threshold quantity (lbs)	Basis for listing
Acrolein [2-Propenal].	107–02–8	5,000	b
Acrylonitrile [2-Propenenitrile].	107–13–1	20,000	b
Acrylyl chloride [2-Propenoyl chloride].	814–68–6	5,000	b
Allyl alcohol [2-Propen-1-ol].	107–18–61	15,000	b
Allylamine [2-Propen-1-amine].	107–11–9	10,000	b
Ammonia (anhydrous).	7664–41–7	10,000	a, b
Ammonia (conc 20% or greater).	7664–41–7	20,000	a, b
Arsenous trichloride.	7784–34–1	15,000	b
Arsine .....	7784–42–1	1,000	b
Boron trichloride [Borane, trichloro-].	10294–34–5	5,000	b
Boron trifluoride [Borane, trifluoro-].	7637–07–2	5,000	b
Boron trifluoride compound with methyl ether (1:1) [Boron, trifluoro [oxybis [metane]]-, T-4-.	353–42–4	15,000	b
Bromine .....	7726–95–6	10,000	a, b
Carbon disulfide	75–15–0	20,000	b
Chlorine .....	7782–50–5	2,500	a, b
Chlorine dioxide [Chlorine oxide (ClO <sub>2</sub> )].	10049–04–4	1,000	c
Chloroform [Methane, trichloro-].	67–66–3	20,000	b
Chloromethyl ether [Methane, oxybis[chloro-].	542–88–1	1,000	b
Chloromethyl methyl ether [Methane, chloromethoxy-].	107–30–2	5,000	b
Crotonaldehyde [2-Butenal].	4170–30–3	20,000	b

# Environmental Protection Agency

# § 68.130

TABLE 1 TO § 68.130—LIST OF REGULATED TOXIC SUBSTANCES AND THRESHOLD QUANTITIES FOR ACCIDENTAL RELEASE PREVENTION—Continued

[Alphabetical Order—77 Substances]

Chemical name	CAS No.	Threshold quantity (lbs)	Basis for listing
Crotonaldehyde, (E)- [2-Butenal, (E)-].	123-73-9	20,000	b
Cyanogen chloride.	506-77-4	10,000	c
Cyclohexylamine [Cyclohexanamine].	108-91-8	15,000	b
Diborane .....	19287-45-7	2,500	b
Dimethyldichlorosilane [Silane, dichlorodimethyl-].	75-78-5	5,000	b
1,1-Dimethylhydrazine [Hydrazine, 1,1-dimethyl-].	57-14-7	15,000	b
Epichlorohydrin [Oxirane, (chloromethyl)-].	106-89-8	20,000	b
Ethylenediamine [1,2-Ethanediamine].	107-15-3	20,000	b
Ethyleneimine [Aziridine].	151-56-4	10,000	b
Ethylene oxide [Oxirane].	75-21-8	10,000	a, b
Fluorine .....	7782-41-4	1,000	b
Formaldehyde (solution).	50-00-0	15,000	b
Furan .....	110-00-9	5,000	b
Hydrazine .....	302-01-2	15,000	b
Hydrochloric acid (conc 37% or greater).	7647-01-0	15,000	d
Hydrocyanic acid	74-90-8	2,500	a, b
Hydrogen chloride (anhydrous) [Hydrochloric acid].	7647-01-0	5,000	a
Hydrogen fluoride/ Hydrofluoric acid (conc 50% or greater) [Hydrofluoric acid].	7664-39-3	1,000	a, b
Hydrogen selenide.	7783-07-5	500	b
Hydrogen sulfide	7783-06-4	10,000	a, b
Iron, pentacarbonyl- [Iron carbonyl (Fe(CO) <sub>5</sub> ), (TB-5-11)-].	13463-40-6	2,500	b
Isobutyronitrile [Propanenitrile, 2-methyl-].	78-82-0	20,000	b
Isopropyl chloroformate [Carbonochloridic acid, 1-methylethyl ester].	108-23-6	15,000	b

TABLE 1 TO § 68.130—LIST OF REGULATED TOXIC SUBSTANCES AND THRESHOLD QUANTITIES FOR ACCIDENTAL RELEASE PREVENTION—Continued

[Alphabetical Order—77 Substances]

Chemical name	CAS No.	Threshold quantity (lbs)	Basis for listing
Methacrylonitrile [2-Propenenitrile, 2-methyl-].	126-98-7	10,000	b
Methyl chloride [Methane, chloro-].	74-87-3	10,000	a
Methyl chloroformate [Carbonochloridic acid, methylester].	79-22-1	5,000	b
Methyl hydrazine [Hydrazine, methyl-].	60-34-4	15,000	b
Methyl isocyanate [Methane, isocyanato-].	624-83-9	10,000	a, b
Methyl mercaptan [Methanethiol].	74-93-1	10,000	b
Methyl thiocyanate [Thiocyanic acid, methyl ester].	556-64-9	20,000	b
Methyltrichlorosilane [Silane, trichloromethyl-].	75-79-6	5,000	b
Nickel carbonyl ...	13463-39-3	1,000	b
Nitric acid (conc 80% or greater).	7697-37-2	15,000	b
Nitric oxide [Nitrogen oxide (NO)].	10102-43-9	10,000	b
Oleum (Fuming Sulfuric acid) [Sulfuric acid, mixture with sulfur trioxide] <sup>1</sup> .	8014-95-7	10,000	e
Peracetic acid [Ethaneperoxoic acid].	79-21-0	10,000	b
Perchloromethylmercaptan [Methanesulfenyl chloride, trichloro-].	594-42-3	10,000	b
Phosgene [Carbonic dichloride].	75-44-5	500	a, b
Phosphine .....	7803-51-2	5,000	b
Phosphorus oxychloride [Phosphoryl chloride].	10025-87-3	5,000	b
Phosphorus trichloride [Phosphorous trichloride].	7719-12-2	15,000	b
Piperidine .....	110-89-4	15,000	b
Propionitrile [Propanenitrile].	107-12-0	10,000	b

§ 68.130

40 CFR Ch. I (7–1–04 Edition)

TABLE 1 TO § 68.130—LIST OF REGULATED TOXIC SUBSTANCES AND THRESHOLD QUANTITIES FOR ACCIDENTAL RELEASE PREVENTION—Continued

[Alphabetical Order—77 Substances]

Chemical name	CAS No.	Threshold quantity (lbs)	Basis for listing
Propyl chloroformate [Carbonochloridic acid, propylester].	109–61–5	15,000	b
Propyleneimine [Aziridine, 2-methyl-].	75–55–8	10,000	b
Propylene oxide [Oxirane, methyl-].	75–56–9	10,000	b
Sulfur dioxide (anhydrous).	7446–09–5	5,000	a, b
Sulfur tetrafluoride [Sulfur fluoride (SF <sub>4</sub> ), (T-4)-].	7783–60–0	2,500	b
Sulfur trioxide .....	7446–11–9	10,000	a, b
Tetramethyllead [Plumbane, tetramethyl-].	75–74–1	10,000	b
Tetranitromethane [Methane, tetranitro-].	509–14–8	10,000	b
Titanium tetrachloride [Titanium chloride (TiCl <sub>4</sub> ) (T-4)-].	7550–45–0	2,500	b
Toluene 2,4-diisocyanate [Benzene, 2,4-diisocyanato-1-methyl-] <sup>1</sup> .	584–84–9	10,000	a

TABLE 1 TO § 68.130—LIST OF REGULATED TOXIC SUBSTANCES AND THRESHOLD QUANTITIES FOR ACCIDENTAL RELEASE PREVENTION—Continued

[Alphabetical Order—77 Substances]

Chemical name	CAS No.	Threshold quantity (lbs)	Basis for listing
Toluene 2,6-diisocyanate [Benzene, 1,3-diisocyanato-2-methyl-] <sup>1</sup> .	91–08–7	10,000	a
Toluene diisocyanate (unspecified isomer) [Benzene, 1,3-diisocyanatomethyl-] <sup>1</sup> .	26471–62–5	10,000	a
Trimethylchlorosilane [Silane, chlorotrimethyl-].	75–77–4	10,000	b
Vinyl acetate monomer [Acetic acid ethenyl ester].	108–05–4	15,000	b

<sup>1</sup> The mixture exemption in § 68.115(b)(1) does not apply to the substance.

NOTE: Basis for Listing:

a Mandated for listing by Congress.

b On EHS list, vapor pressure 10 mmHg or greater.

c Toxic gas.

d Toxicity of hydrogen chloride, potential to release hydrogen chloride, and history of accidents.

e Toxicity of sulfur trioxide and sulfuric acid, potential to release sulfur trioxide, and history of accidents.

TABLE 2 TO § 68.130—LIST OF REGULATED TOXIC SUBSTANCES AND THRESHOLD QUANTITIES FOR ACCIDENTAL RELEASE PREVENTION

[CAS Number Order—77 Substances]

CAS No.	Chemical name	Threshold quantity (lbs)	Basis for listing
50–00–0 .....	Formaldehyde (solution) .....	15,000	b
57–14–7 .....	1,1-Dimethylhydrazine [Hydrazine, 1,1-dimethyl-] .....	15,000	b
60–34–4 .....	Methyl hydrazine [Hydrazine, methyl-] .....	15,000	b
67–66–3 .....	Chloroform [Methane, trichloro-] .....	20,000	b
74–87–3 .....	Methyl chloride [Methane, chloro-] .....	10,000	a
74–90–8 .....	Hydrocyanic acid .....	2,500	a, b
74–93–1 .....	Methyl mercaptan [Methanethiol] .....	10,000	b
75–15–0 .....	Carbon disulfide .....	20,000	b
75–21–8 .....	Ethylene oxide [Oxirane] .....	10,000	a, b
75–44–5 .....	Phosgene [Carbonic dichloride] .....	500	a, b
75–55–8 .....	Propyleneimine [Aziridine, 2-methyl-] .....	10,000	b
75–56–9 .....	Propylene oxide [Oxirane, methyl-] .....	10,000	b
75–74–1 .....	Tetramethyllead [Plumbane, tetramethyl-] .....	10,000	b
75–77–4 .....	Trimethylchlorosilane [Silane, chlorotrimethyl-] .....	10,000	b
75–78–5 .....	Dimethyldichlorosilane [Silane, dichlorodimethyl-] .....	5,000	b
75–79–6 .....	Methyltrichlorosilane [Silane, trichloromethyl-] .....	5,000	b
78–82–0 .....	Isobutyronitrile [Propanenitrile, 2-methyl-] .....	20,000	b
79–21–0 .....	Peracetic acid [Ethaneperoxoic acid] .....	10,000	b
79–22–1 .....	Methyl chloroformate [Carbonochloridic acid, methylester] .....	5,000	b
91–08–7 .....	Toluene 2,6-diisocyanate [Benzene, 1,3-diisocyanato-2-methyl-] <sup>1</sup> .....	10,000	a
106–89–8 .....	Epichlorohydrin [Oxirane, (chloromethyl)-] .....	20,000	b
107–02–8 .....	Acrolein [2-Propenal] .....	5,000	b
107–11–9 .....	Allylamine [2-Propen-1-amine] .....	10,000	b

Environmental Protection Agency

§ 68.130

TABLE 2 TO § 68.130—LIST OF REGULATED TOXIC SUBSTANCES AND THRESHOLD QUANTITIES FOR  
ACCIDENTAL RELEASE PREVENTION—Continued  
[CAS Number Order—77 Substances]

CAS No.	Chemical name	Threshold quantity (lbs)	Basis for listing
107-12-0	Propionitrile [Propanenitrile]	10,000	b
107-13-1	Acrylonitrile [2-Propenenitrile]	20,000	b
107-15-3	Ethylenediamine [1,2-Ethanediamine]	20,000	b
107-18-6	Allyl alcohol [2-Propen-1-ol]	15,000	b
107-30-2	Chloromethyl methyl ether [Methane, chloromethoxy-]	5,000	b
108-05-4	Vinyl acetate monomer [Acetic acid ethenyl ester]	15,000	b
108-23-6	Isopropyl chloroformate [Carbonochloridic acid, 1-methylethyl ester]	15,000	b
108-91-8	Cyclohexylamine [Cyclohexanamine]	15,000	b
109-61-5	Propyl chloroformate [Carbonochloridic acid, propylester]	15,000	b
110-00-9	Furan	5,000	b
110-89-4	Piperidine	15,000	b
123-73-9	Crotonaldehyde, (E)- [2-Butenal, (E)-]	20,000	b
126-98-7	Methacrylonitrile [2-Propenenitrile, 2-methyl-]	10,000	b
151-56-4	Ethyleneimine [Aziridine]	10,000	b
302-01-2	Hydrazine	15,000	b
353-42-4	Boron trifluoride compound with methyl ether (1:1) [Boron, trifluoro[oxybis(methane)]-, T-4-]	15,000	b
506-77-4	Cyanogen chloride	10,000	c
509-14-8	Tetranitromethane [Methane, tetranitro-]	10,000	b
542-88-1	Chloromethyl ether [Methane, oxybis(chloro-)]	1,000	b
556-64-9	Methyl thiocyanate [Thiocyanic acid, methyl ester]	20,000	b
584-84-9	Toluene 2,4-diisocyanate [Benzene, 2,4-diisocyanato-1-methyl-] <sup>1</sup>	10,000	a
594-42-3	Perchloromethylmercaptan [Methanesulfonyl chloride, trichloro-]	10,000	b
624-83-9	Methyl isocyanate [Methane, isocyanato-]	10,000	a, b
814-68-6	Acrylyl chloride [2-Propenoyl chloride]	5,000	b
4170-30-3	Crotonaldehyde [2-Butenal]	20,000	b
7446-09-5	Sulfur dioxide (anhydrous)	5,000	a, b
7446-11-9	Sulfur trioxide	10,000	a, b
7550-45-0	Titanium tetrachloride [Titanium chloride (TiCl <sub>4</sub> ) (T-4)-]	2,500	b
7637-07-2	Boron trifluoride [Borane, trifluoro-]	5,000	b
7647-01-0	Hydrochloric acid (conc 37% or greater)	15,000	d
7647-01-0	Hydrogen chloride (anhydrous) [Hydrochloric acid]	5,000	a
7664-39-3	Hydrogen fluoride/Hydrofluoric acid (conc 50% or greater) [Hydrofluoric acid]	1,000	a, b
7664-41-7	Ammonia (anhydrous)	10,000	a, b
7664-41-7	Ammonia (conc 20% or greater)	20,000	a, b
7697-37-2	Nitric acid (conc 80% or greater)	15,000	b
7719-12-2	Phosphorus trichloride [Phosphorous trichloride]	15,000	b
7726-95-6	Bromine	10,000	a, b
7782-41-4	Fluorine	1,000	b
7782-50-5	Chlorine	2,500	a, b
7783-06-4	Hydrogen sulfide	10,000	a, b
7783-07-5	Hydrogen selenide	500	b
7783-60-0	Sulfur tetrafluoride [Sulfur fluoride (SF <sub>4</sub> ), (T-4)-]	2,500	b
7784-34-1	Arsenous trichloride	15,000	b
7784-42-1	Arsine	1,000	b
7803-51-2	Phosphine	5,000	b
8014-95-7	Oleum (Fuming Sulfuric acid) [Sulfuric acid, mixture with sulfur trioxide] <sup>1</sup>	10,000	e
10025-87-3	Phosphorus oxychloride [Phosphoryl chloride]	5,000	b
10049-04-4	Chlorine dioxide [Chlorine oxide (ClO <sub>2</sub> )]	1,000	c
10102-43-9	Nitric oxide [Nitrogen oxide (NO)]	10,000	b
10294-34-5	Boron trichloride [Borane, trichloro-]	5,000	b
13463-39-3	Nickel carbonyl	1,000	b
13463-40-6	Iron, pentacarbonyl- [Iron carbonyl (Fe(CO) <sub>5</sub> ), (TB-5-11)-]	2,500	b
19287-45-7	Diborane	2,500	b
26471-62-5	Toluene diisocyanate (unspecified isomer) [Benzene, 1,3-diisocyanatomethyl-1] <sup>1</sup>	10,000	a

<sup>1</sup> The mixture exemption in § 68.115(b)(1) does not apply to the substance.

NOTE: Basis for Listing:

a Mandated for listing by Congress.

b On EHS list, vapor pressure 10 mmHg or greater.

c Toxic gas.

d Toxicity of hydrogen chloride, potential to release hydrogen chloride, and history of accidents.

e Toxicity of sulfur trioxide and sulfuric acid, potential to release sulfur trioxide, and history of accidents.

§ 68.130

40 CFR Ch. I (7–1–04 Edition)

TABLE 3 TO § 68.130—LIST OF REGULATED FLAMMABLE SUBSTANCES<sup>1</sup> AND THRESHOLD QUANTITIES FOR ACCIDENTAL RELEASE PREVENTION  
[Alphabetical Order—63 Substances]

Chemical name	CAS No.	Threshold quantity (lbs)	Basis for listing
Acetaldehyde .....	75–07–0	10,000	g
Acetylene [Ethyne] .....	74–86–2	10,000	f
Bromotrifluoroethylene [Ethene, bromotrifluoro-] .....	598–73–2	10,000	f
1,3-Butadiene .....	106–99–0	10,000	f
Butane .....	106–97–8	10,000	f
1-Butene .....	106–98–9	10,000	f
2-Butene .....	107–01–7	10,000	f
Butene .....	25167–67–3	10,000	f
2-Butene-cis .....	590–18–1	10,000	f
2-Butene-trans [2-Butene, (E)] .....	624–64–6	10,000	f
Carbon oxysulfide [Carbon oxide sulfide (COS)] .....	463–58–1	10,000	f
Chlorine monoxide [Chlorine oxide] .....	7791–21–1	10,000	f
2-Chloropropylene [1-Propene, 2-chloro-] .....	557–98–2	10,000	g
1-Chloropropylene [1-Propene, 1-chloro-] .....	590–21–6	10,000	g
Cyanogen [Ethanedinitrile] .....	460–19–5	10,000	f
Cyclopropane .....	75–19–4	10,000	f
Dichlorosilane [Silane, dichloro-] .....	4109–96–0	10,000	f
Difluoroethane [Ethane, 1,1-difluoro-] .....	75–37–6	10,000	f
Dimethylamine [Methanamine, N-methyl-] .....	124–40–3	10,000	f
2,2-Dimethylpropane [Propane, 2,2-dimethyl-] .....	463–82–1	10,000	f
Ethane .....	74–84–0	10,000	f
Ethyl acetylene [1-Butyne] .....	107–00–6	10,000	f
Ethylamine [Ethanamine] .....	75–04–7	10,000	f
Ethyl chloride [Ethane, chloro-] .....	75–00–3	10,000	f
Ethylene [Ethene] .....	74–85–1	10,000	f
Ethyl ether [Ethane, 1,1'-oxybis-] .....	60–29–7	10,000	g
Ethyl mercaptan [Ethanethiol] .....	75–08–1	10,000	g
Ethyl nitrite [Nitrous acid, ethyl ester] .....	109–95–5	10,000	f
Hydrogen .....	1333–74–0	10,000	f
Isobutane [Propane, 2-methyl] .....	75–28–5	10,000	f
Isopentane [Butane, 2-methyl-] .....	78–78–4	10,000	g
Isoprene [1,3-Butadiene, 2-methyl-] .....	78–79–5	10,000	g
Isopropylamine [2-Propanamine] .....	75–31–0	10,000	g
Isopropyl chloride [Propane, 2-chloro-] .....	75–29–6	10,000	g
Methane .....	74–82–8	10,000	f
Methylamine [Methanamine] .....	74–89–5	10,000	f
3-Methyl-1-butene .....	563–45–1	10,000	f
2-Methyl-1-butene .....	563–46–2	10,000	g
Methyl ether [Methane, oxybis-] .....	115–10–6	10,000	f
Methyl formate [Formic acid, methyl ester] .....	107–31–3	10,000	g
2-Methylpropene [1-Propene, 2-methyl-] .....	115–11–7	10,000	f
1,3-Pentadiene .....	504–60–9	10,000	f
Pentane .....	109–66–0	10,000	g
1-Pentene .....	109–67–1	10,000	g
2-Pentene, (E)- .....	646–04–8	10,000	g
2-Pentene, (Z)- .....	627–20–3	10,000	g
Propadiene [1,2-Propadiene] .....	463–49–0	10,000	f
Propane .....	74–98–6	10,000	f
Propylene [1-Propene] .....	115–07–1	10,000	f
Propyne [1-Propyne] .....	74–99–7	10,000	f
Silane .....	7803–62–5	10,000	f
Tetrafluoroethylene [Ethene, tetrafluoro-] .....	116–14–3	10,000	f
Tetramethylsilane [Silane, tetramethyl-] .....	75–76–3	10,000	g
Trichlorosilane [Silane, trichloro-] .....	10025–78–2	10,000	g
Trifluorochloroethylene [Ethene, chlorotrifluoro-] .....	79–38–9	10,000	f
Trimethylamine [Methanamine, N,N-dimethyl-] .....	75–50–3	10,000	f
Vinyl acetylene [1-Buten-3-yne] .....	689–97–4	10,000	f
Vinyl chloride [Ethene, chloro-] .....	75–01–4	10,000	a, f
Vinyl ethyl ether [Ethene, ethoxy-] .....	109–92–2	10,000	g
Vinyl fluoride [Ethene, fluoro-] .....	75–02–5	10,000	f
Vinylidene chloride [Ethene, 1,1-dichloro-] .....	75–35–4	10,000	g
Vinylidene fluoride [Ethene, 1,1-difluoro-] .....	75–38–7	10,000	f
Vinyl methyl ether [Ethene, methoxy-] .....	107–25–5	10,000	f

<sup>1</sup> A flammable substance when used as a fuel or held for sale as a fuel at a retail facility is excluded from all provisions of this part (see § 68.126).

**Note:** Basis for Listing:

<sup>a</sup> Mandated for listing by Congress.

# Environmental Protection Agency

§ 68.130

<sup>1</sup> Flammable gas.  
<sup>2</sup> Volatile flammable liquid.

TABLE 4 to § 68.130—LIST OF REGULATED FLAMMABLE SUBSTANCES <sup>1</sup> AND THRESHOLD QUANTITIES FOR ACCIDENTAL RELEASE PREVENTION  
 [CAS Number Order—63 Substances]

CAS No.	Chemical name	CAS No.	Threshold quantity (lbs)	Basis for listing
60-29-7	Ethyl ether [Ethane, 1,1'-oxybis-]	60-29-7	10,000	g
74-82-8	Methane	74-82-8	10,000	f
74-84-0	Ethane	74-84-0	10,000	f
74-85-1	Ethylene [Ethene]	74-85-1	10,000	f
74-86-2	Acetylene [Ethyne]	74-86-2	10,000	f
74-89-5	Methylamine [Methanamine]	74-89-5	10,000	f
74-98-6	Propane	74-98-6	10,000	f
74-99-7	Propyne [1-Propyne]	74-99-7	10,000	f
75-00-3	Ethyl chloride [Ethane, chloro-]	75-00-3	10,000	f
75-01-4	Vinyl chloride [Ethene, chloro-]	75-01-4	10,000	a, f
75-02-5	Vinyl fluoride [Ethene, fluoro-]	75-02-5	10,000	f
75-04-7	Ethylamine [Ethanamine]	75-04-7	10,000	f
75-07-0	Acetaldehyde	75-07-0	10,000	g
75-08-1	Ethyl mercaptan [Ethanethiol]	75-08-1	10,000	g
75-19-4	Cyclopropane	75-19-4	10,000	f
75-28-5	Isobutane [Propane, 2-methyl]	75-28-5	10,000	f
75-29-6	Isopropyl chloride [Propane, 2-chloro-]	75-29-6	10,000	g
75-31-0	Isopropylamine [2-Propanamine]	75-31-0	10,000	g
75-35-4	Vinylidene chloride [Ethene, 1,1-dichloro-]	75-35-4	10,000	g
75-37-6	Difluoroethane [Ethane, 1,1-difluoro-]	75-37-6	10,000	f
75-38-7	Vinylidene fluoride [Ethene, 1,1-difluoro-]	75-38-7	10,000	f
75-50-3	Trimethylamine [Methanamine, N, N-dimethyl-]	75-50-3	10,000	f
75-76-3	Tetramethylsilane [Silane, tetramethyl-]	75-76-3	10,000	g
78-78-4	Isopentane [Butane, 2-methyl-]	78-78-4	10,000	g
78-79-5	Isoprene [1,3-Butadiene, 2-methyl-]	78-79-5	10,000	g
79-38-9	Trifluorochloroethylene [Ethene, chlorotrifluoro-]	79-38-9	10,000	f
106-97-8	Butane	106-97-8	10,000	f
106-98-9	1-Butene	106-98-9	10,000	f
196-99-0	1,3-Butadiene	106-99-0	10,000	f
107-00-6	Ethyl acetylene [1-Butyne]	107-00-6	10,000	f
107-01-7	2-Butene	107-01-7	10,000	f
107-25-5	Vinyl methyl ether [Ethene, methoxy-]	107-25-5	10,000	f
107-31-3	Methyl formate [Formic acid, methyl ester]	107-31-3	10,000	g
109-66-0	Pentane	109-66-0	10,000	g
109-67-1	1-Pentene	109-67-1	10,000	g
109-92-2	Vinyl ethyl ether [Ethene, ethoxy-]	109-92-2	10,000	g
109-95-5	Ethyl nitrite [Nitrous acid, ethyl ester]	109-95-5	10,000	f
115-07-1	Propylene [1-Propene]	115-07-1	10,000	f
115-10-6	Methyl ether [Methane, oxybis-]	115-10-6	10,000	f
115-11-7	2-Methylpropene [1-Propene, 2-methyl-]	115-11-7	10,000	f
116-14-3	Tetrafluoroethylene [Ethene, tetrafluoro-]	116-14-3	10,000	f
124-40-3	Dimethylamine [Methanamine, N-methyl-]	124-40-3	10,000	f
460-19-5	Cyanogen [Ethanedinitrile]	460-19-5	10,000	f
463-49-0	Propadiene [1,2-Propadiene]	463-49-0	10,000	f
463-58-1	Carbon oxysulfide [Carbon oxide sulfide (COS)]	463-58-1	10,000	f
463-82-1	2,2-Dimethylpropane [Propane, 2,2-dimethyl-]	463-82-1	10,000	f
504-60-9	1,3-Pentadiene	504-60-9	10,000	f
557-98-2	2-Chloropropylene [1-Propene, 2-chloro-]	557-98-2	10,000	g
563-45-1	3-Methyl-1-butene	563-45-1	10,000	f
563-46-2	2-Methyl-1-butene	563-46-2	10,000	g
590-18-1	2-Butene-cis	590-18-1	10,000	f
590-21-6	1-Chloropropylene [1-Propene, 1-chloro-]	590-21-6	10,000	g
598-73-2	Bromotrifluoroethylene [Ethene, bromotrifluoro-]	598-73-2	10,000	f
624-64-6	2-Butene-trans [2-Butene, (E)]	624-64-6	10,000	f
627-20-3	2-Pentene, (Z)-	627-20-3	10,000	g
646-04-8	2-Pentene, (E)-	646-04-8	10,000	g
689-97-4	Vinyl acetylene [1-Buten-3-yne]	689-97-4	10,000	f
1333-74-0	Hydrogen	1333-74-0	10,000	f
4109-96-0	Dichlorosilane [Silane, dichloro-]	4109-96-0	10,000	f
7791-21-1	Chlorine monoxide [Chlorine oxide]	7791-21-1	10,000	f
7803-62-5	Silane	7803-62-5	10,000	f
10025-78-2	Trichlorosilane [Silane, trichloro-]	10025-78-2	10,000	g
25167-67-3	Butene	25167-67-3	10,000	f

<sup>1</sup> A flammable substance when used as a fuel or held for sale as a fuel at a retail facility is excluded from all provisions of this part (see § 68.126).

## § 68.150

## 40 CFR Ch. I (7–1–04 Edition)

**Note:** Basis for Listing:

\* Mandated for listing by Congress.

† Flammable gas.

\* Volatile flammable liquid.

[59 FR 4493, Jan. 31, 1994, Redesignated at 61 FR 31717, June 20, 1996, as amended at 62 FR 45132, Aug. 25, 1997; 63 FR 645, Jan. 6, 1998; 65 FR 13250, Mar. 13, 2000]

### Subpart G—Risk Management Plan

SOURCE: 61 FR 31726, June 20, 1996, unless otherwise noted.

#### § 68.150 Submission.

(a) The owner or operator shall submit a single RMP that includes the information required by §§68.155 through 68.185 for all covered processes. The RMP shall be submitted in the method and format to the central point specified by EPA as of the date of submission.

(b) The owner or operator shall submit the first RMP no later than the latest of the following dates:

(1) June 21, 1999;

(2) Three years after the date on which a regulated substance is first listed under §68.130; or

(3) The date on which a regulated substance is first present above a threshold quantity in a process.

(c) The owner or operator of any stationary source for which an RMP was submitted before June 21, 2004, shall revise the RMP to include the information required by §68.160(b)(6) and (14) by June 21, 2004 in the manner specified by EPA prior to that date. Any such submission shall also include the information required by §68.160(b)(20) (indicating that the submission is a correction to include the information required by §68.160(b)(6) and (14) or an update under §68.190).

(d) RMPs submitted under this section shall be updated and corrected in accordance with §§68.190 and 68.195.

(e) Notwithstanding the provisions of §§68.155 to 68.190, the RMP shall exclude classified information. Subject to appropriate procedures to protect such information from public disclosure, classified data or information excluded from the RMP may be made available in a classified annex to the RMP for review by Federal and state representa-

tives who have received the appropriate security clearances.

(f) Procedures for asserting that information submitted in the RMP is entitled to protection as confidential business information are set forth in §§68.151 and 68.152.

[61 FR 31726, June 20, 1996, as amended at 64 FR 979, Jan. 6, 1999; 69 FR 18831, Apr. 9, 2004]

#### § 68.151 Assertion of claims of confidential business information.

(a) Except as provided in paragraph (b) of this section, an owner or operator of a stationary source required to report or otherwise provide information under this part may make a claim of confidential business information for any such information that meets the criteria set forth in 40 CFR 2.301.

(b) Notwithstanding the provisions of 40 CFR part 2, an owner or operator of a stationary source subject to this part may not claim as confidential business information the following information:

(1) Registration data required by §68.160(b)(1) through (b)(6) and (b)(8), (b)(10) through (b)(13) and NAICS code and Program level of the process set forth in §68.160(b)(7);

(2) Offsite consequence analysis data required by §68.165(b)(4), (b)(9), (b)(10), (b)(11), and (b)(12).

(3) Accident history data required by §68.168;

(4) Prevention program data required by §68.170(b), (d), (e)(1), (f) through (k);

(5) Prevention program data required by §68.175(b), (d), (e)(1), (f) through (p); and

(6) Emergency response program data required by §68.180.

(c) Notwithstanding the procedures specified in 40 CFR part 2, an owner or operator asserting a claim of CBI with respect to information contained in its RMP, shall submit to EPA at the time it submits the RMP the following:

(1) The information claimed confidential, provided in a format to be specified by EPA;